

3M Science.
Applied to Life.™



Abrasive Systems Division
Products catalogue - mini 2025.

Cubitron™ 3

Cut-off wheel specially designed for use both on stainless and mild steel. Containing 3M Cubitron 3 minerals.



Description	SAP	PN
75 x 1 x 6.35 T41	7100303861	90230
75 x 1 x 9.53 T41	7100304121	89623
115 x 0.8 x 22.23 T41	7100304305	86581
115 x 1 x 22.23mm T41	7100304120	86616
115 x 1.6 x 22.23 T41	7100304003	89573
115 x 2.5 x 22.23 T42 shape	7100303996	88383
125 x 0.8 x 22.23 T41	7100304127	86580
125 x 1 x 22.23mm T41	7100304306	86647
125 x 1.3 x 22.23mm T41	7100304304	86457
125 x 1.6 x 22.23mm T41	7100303829	86412
125 x 2 x 22.23mm T41	7100304000	88775
125 x 2.5 x 22.23 T42 shape	7100303995	87963
125 x 3 x 22.23mm T42 shape	7100303831	87338
150 x 2 x 22.23mm T41	7100304056	86542
180 x 1.6 x 22.23 T41	7100305230	88912
180 x 2 x 22.23mm T41	7100303999	88768
180 x 2.5 x 22.23 T42 shape	7100303994	87396
230 x 2 x 22.23mm T41	7100303998	88732
230 x 2.5 x 22.23 T42 shape	7100303993	87378
230 x 2.5 x 22.23 T41	7100303997	88404
230 x 3 x 22.23mm T41	7100303832	87371

Cut-off wheel specially designed for use both on stainless and mild steel. 3M Silver line.



Description	SAP number	PN
Ø115x1x22.23	7100139227	51785
Ø115x1.6x22.23	7100139229	51787
Ø115x2.5x22.23	7100141056	51800
Ø125x1x22.23	7100139232	51790
Ø125x1.6x22.23	7100139234	51792
Ø125x2x22.23	7100139238	51795
Ø125x2.5x22.2	7100141069	51801
Ø150x1.6x22.2	7100139235	51814
Ø180x2x22.23	7100139240	51797
Ø180x2.5x22.23	7100141067	51802
Ø180x3x22.23	7100141045	51803
Ø230x2x22.23	not available	
Ø230x2.5x22.23	7100141070	51805
Ø230x3x22.23	7100141075	51806

Cubitron™ 3

Cut&Grind wheel specially designed for use both on stainless and mild steel. Containing 3M Cubitron 3 minerals. For cutting and grinding applications.



Description	SAP	PN
Ø115x3.2x22.23	7100305449	94159
Ø125x3.2x22.23	7100305448	93498
Ø180x3.5x22.23	7100305447	
Ø115x4.2x22.23	7100303975	95344
Ø125x4.2x22.23	7100303974	94946
Ø180x4.2x22.23	7100303972	94542
Ø230x4.2x22.23	7100303971	94343

Cubitron™ 3

Depressed-center grinding wheel specially designed for use both on stainless and mild steel. Containing 3M Cubitron 3 minerals.



Description	SAP	PN
Ø115x7x22,23	7100303983	99306
Ø125x7x22,23	7100303982	98647
Ø150x7x22,23	7100303963	74433
Ø180x7x22,23	7100303980	98418
Ø230x7x22,23	7100303979	98291

Cut&Grind wheel specially designed for use both on stainless and mild steel. For cutting and grinding applications. 3M Silver line.



Description	SAP number	PN
Ø115x4.2x22.23	7100214038	52050
Ø125x4.2x22.23	7100214085	52051
Ø180x4.2x22.23	7100214088	52053
Ø230x4.2x22.23	7100214089	52054

Depressed-center grinding wheel specially designed for use both on stainless and mild steel. 3M Silver line.



Description	SAP number	PN
Ø100x7x16	7100141123	51746
Ø115x7x22.23	7100141083	51747
Ø125x7x22.23	7100141086	51748
Ø150x7x22.23	7100141089	51749
Ø180x7x22.23	7100141096	51750
Ø230x7x22.2	7100141099	51751

CUBITRON™ II

969F flap disc for use on mild steel. Containing 3M Cubitron II minerals.



Description	SAP number	PN
969F 115mm 40+ flat	7100105859	51479
969F 115mm 60+ flat	7100105860	51480
969F 115mm 80+ flat	7100105861	51481
969F 125mm 40+ flat	7100105862	51482
969F 125mm 60+ flat	7100105863	51483
969F 125mm 80+ flat	7100105864	51484
969F 180mm 40+ flat	7100105865	51485
969F 180mm 60+ flat	7100105866	51486
969F 180mm 80+ flat	7100105867	51487
969F 115mm 40+ conical	7100105847	51465
969F 115mm 60+ conical	7100105848	51466
969F 115mm 80+ conical	7100105849	51467
969F 125mm 40+ conical	7100105850	51468
969F 125mm 60+ conical	7100105851	51469
969F 125mm 80+ conical	7100105852	51470
969F 180mm 40+ conical	7100105856	51474
969F 180mm 60+ conical	7100105857	51475
969F 180mm 80+ conical	7100105858	51476

CUBITRON™ II

967A flap disc with grinding aid for use on stainless steel and aluminium. Containing 3M Cubitron II minerals.



Description	SAP number	PN
967A 115mm 40+ flat	7000104371	65066
967A 115mm 60+ flat	7000104372	65067
967A 115mm 80+ flat	7000104373	65068
967A 125mm 40+ flat	7000104374	65069
967A 125mm 60+ flat	7000104375	65070
967A 125mm 80+ flat	7000104376	65071
967A 180mm 40+ flat	7000104377	65072
967A 180mm 60+ flat	7000104378	65073
967A 180mm 80+ flat	7000104379	65074
967A 115mm 40+ conical	7000104359	65051
967A 115mm 60+ conical	7000104360	65052
967A 115mm 80+ conical	7000104361	65053
967A 125mm 40+ conical	7100011310	
967A 125mm 60+ conical	7100011144	
967A 125mm 80+ conical	7100011569	
967A 180mm 40+ conical	7000104365	65060
967A 180mm 60+ conical	7000104366	65061
967A 180mm 80+ conical	7000104367	65062

769F flap disc - for use on both stainless and mild steel.



Description	SAP number	PN
769F 115mm 40+ flat	7100196540	51990
769F 115mm 60+ flat	7100196817	51992
769F 115mm 80+ flat	7100196820	51994
769F 115mm 120+ flat	7100196819	51996
769F 125mm 40+ flat	7100196813	51998
769F 125mm 60+ flat	7100196799	52006
769F 125mm 80+ flat	7100196790	52008
769F 125mm 120+ flat	7100196821	52010
769F 180mm 40+ flat	7100196538	52012
769F 180mm 60+ flat	7100196800	52014
769F 180mm 80+ flat	7100197431	52016
769F 180mm 120+ flat	7100196792	52018
769F 115mm 40+ conical	7100196818	51991
769F 115mm 60+ conical	7100196816	51993
769F 115mm 80+ conical	7100196789	51995
769F 115mm 120+ conical	7100196539	51997
769F 125mm 40+ conical	7100196812	51999
769F 125mm 60+ conical	7100196797	52007
769F 125mm 80+ conical	7100196791	52009
769F 125mm 120+ conical	7100196815	52011
769F 180mm 40+ conical	7100197061	52013
769F 180mm 60+ conical	7100196798	52015
769F 180mm 80+ conical	7100196794	52017
769F 180mm 120+ conical	7100196793	52019

CUBITRON™ II

3M 982C fibre disc - for use on mild steel. Containing 3M Cubitron II minerals.



Description	SAP number	PN
Ø 115 x 22 mm P36+	7000028192	
Ø 115 x 22 mm P60+	7000028194	
Ø 115 x 22 mm P80+	7000028196	
Ø 125 x 22 mm P36+	7000028191	
Ø 125 x 22 mm P60+	7000028195	
Ø 125 x 22 mm P80+	7000028197	
Ø 180 x 22 mm P36+	7000028201	
Ø 180 x 22 mm P60+	7000028203	
Ø 180 x 22 mm P80+	7000028204	

CUBITRON II

3M 987C fibre disc - with grinding aid for use on stainless steel and aluminium. Containing 3M Cubitron II minerals.



3M 787C fibre disc - with grinding aid for use on stainless steel and aluminium. Containing 3M Precision Shaped Grain minerals.



Description	SAP	PN
Ø 115 x 22 mm P36+	7000045159	
Ø 115 x 22 mm P60+	7000045160	
Ø 115 x 22 mm P80+	7000045161	
Ø 125 x 22 mm P36+	7000028193	
Ø 125 x 22 mm P60+	7000028199	
Ø 125 x 22 mm P80+	7000028200	
Ø 180 x 22 mm P36+	7000045188	
Ø 180 x 22 mm P60+	7000045186	
Ø 180 x 22 mm P80+	7000045187	

Cubitron™ 3

3M 1182C fibre disc - for use on mild steel. Containing 3M Cubitron3 minerals.



Description	SAP	PN
Ø 115 x 22 mm P36+	7100308530	
Ø 115 x 22 mm P60+	7100349583	
Ø 115 x 22 mm P80+	7100349564	
Ø 125 x 22 mm P36+	7100308531	
Ø 125 x 22 mm P60+	7100349498	
Ø 125 x 22 mm P80+	7100349571	
Ø 180 x 22 mm P36+	7100309794	
Ø 180 x 22 mm P60+	7100349667	
Ø 180 x 22 mm P80+	7100349585	

Cubitron™ 3

3M 1187C fibre disc - with grinding aid for use on stainless steel and aluminium. Containing 3M Cubitron3 minerals.



Description	SAP	PN
Ø 115 x 22 mm P36+	7100309789	
Ø 115 x 22 mm P60+	7100349586	
Ø 115 x 22 mm P80+	7100349587	
Ø 125 x 22 mm P36+	7100310794	
Ø 125 x 22 mm P60+	7100349581	
Ø 125 x 22 mm P80+	7100349590	
Ø 180 x 22 mm P36+	7100309795	
Ø 180 x 22 mm P60+	7100349679	
Ø 180 x 22 mm P80+	7100349663	

3M 782C fibre disc - for use on mild steel. Containing 3M Precision Shaped Grain minerals.



Description	SAP	PN
Ø 115 x 22 mm P36+	7100099545	
Ø 115 x 22 mm P60+	7100099250	
Ø 115 x 22 mm P80+	7100099093	
Ø 125 x 22 mm P36+	7100099576	
Ø 125 x 22 mm P60+	7100099094	
Ø 125 x 22 mm P80+	7100099095	
Ø 180 x 22 mm P36+	7100099284	
Ø 180 x 22 mm P60+	7100099091	
Ø 180 x 22 mm P80+	7100099237	

Description	SAP	PN
Ø 115 x 22 mm P36+	7100099787	
Ø 115 x 22 mm P60+	7100099260	
Ø 115 x 22 mm P80+	7100099254	
Ø 115 x 22 mm P120+	7100099791	
Ø 125 x 22 mm P36+	7100099788	
Ø 125 x 22 mm P60+	7100099245	
Ø 125 x 22 mm P80+	7100099256	
Ø 125 x 22 mm P120+	7100099546	
Ø 180 x 22 mm P36+	7100099257	
Ø 180 x 22 mm P60+	7100099247	
Ø 180 x 22 mm P80+	7100099240	
Ø 180 x 22 mm P120+	7100099243	

3M Back up pad (BUP) for fibre discs - ribbed, hard



Description	SAP	PN
Ø 115 mm, M14	7000032409	64860
Ø 127 mm, M14	7000032410	64861
Ø 178 mm, M14	7000032411	64862

3M Back up pad (BUP) for fibre discs - flat, flexible



Description	SAP	PN
Ø 115 mm, M14	7000061711	64857
Ø 127 mm, M14	7000061712	64858

CUBITRON II

3M 947A - hookit discs with Cubitron II minerals



Description	SAP	PN
Ø 115mm, gr. 40	7100169959	
Ø 115mm, gr. 60	7100169950	
Ø 115mm, gr. 80	7100169962	
Ø 115mm, gr. 120	7100169949	
Ø 125mm, gr. 40	7100113120	
Ø 125mm, gr. 60	7100113137	
Ø 125mm, gr. 80	7100112980	
Ø 125mm, gr. 120	7100085514	

* back up pads: 62290 (115mm); 62286 (125mm)

Trizact™

3M 237AA Trizact hookit disc



Description	SAP	PN
Ø 115 mm A160		
Ø 115 mm A100		
Ø 115 mm A80		
Ø 115 mm A65		
Ø 115 mm A45		
Ø 115 mm A30		
Ø 115 mm A16		
Ø 115 mm A6		
* back up pad: 62290		

3M hookit back up pad "GREEN FACE"



Description	SAP	PN
Ø 115 mm	7000060206	62290
Ø 125 mm	7000060207	62286

Scotch-Brite™

3M SC-DH Scotch-Brite Surface conditioning disc



Description	SAP	PN
Ø 115 mm A-CRS (coarse)	7100233774	
Ø 115 mm A-MED (medium)	7100233776	
Ø 115 mm A-VFN (fine)	7100233439	
Ø 115 mm S-SFN (super fine)	7100233813	

* hookit back-up pad: 09562

Scotch-Brite hookit back-up padsurface conditioning discs



Description	SAP	PN
Ø 115 mm, M14	7000038366	09562

Scotch-Brite™

3M XL-UW unitised wheel for grinding and polishing inner welds



Description	SAP	PN
152 x 6,3 x 12,7 2S-FIN	7100256328	
152 x 6,3 x 12,7 8A-CRS	7000028451	
152 x 6,3 x 12,7 3S-FIN	7000046104	
152 x 25,4 x 25,4 2A-MED	7100256503	
76 x 12,7 x 6.35 2S-FIN	7100256329	

Scotch-Brite™

3M XL-UD unitised disc for unitising surface before polishing



Description	SAP	PN
Ø 115 x 22 mm 2S-FIN	7100300856	
Ø 115 x 22 mm 6S-FIN	7100300868	
Ø 115 x 22 mm 8A-CRS	7100300864	

Scotch-Brite™

3M Scotch-Brite hand pads and rolls



Description	SAP	PN
158mm x 224mm A-VFN	7100182554	7447
7447 PRO 158x224 A-VFN	7100288524	7447 PRO
158mm x 224mm S-UFN	7100182555	7448
7448 PRO 158x224 S-UFN	7100288566	7448 PRO
3M Scotch-Brite u roli		
100 mm x 10 m A-VFN	7100288556	7447PRO
100 mm x 10 m S-UFN	7100288456	7448PRO

Scotch-Brite™

3M BB-ZB Bristle Brush Type-C



Description	SAP	PN
Ø 150 mm P80 - žuta	7100138300	33215
Ø 150 mm P120 - bijela	7100138298	33212
Ø 150 mm P220 - crvena	7100138299	33213
Ø 150 mm 1 mic. - zelena	7000046181	33217

Scotch-Brite™

3M Clean & Strip discs



Description	SAP	PN
150mm x 13mm	7100182637	61122

Scotch-Brite™

3M Clean&Strip disc - XT-PRO EXTRA CUT - aluminium oxide



Description	SAP	PN
100mm x 13mm	7100175138	51906
150mm x 13mm	7100175139	51907
115mm x 22,22mm	7100192336	51910

Scotch-Brite™

3M Clean&Strip discs - XT-PRO - silicon carbide



Description	SAP	PN
100mm x 13mm	7100176374	51934
150mm x 13mm	7100176347	51885
115mm x 22,22mm	7100192330	51889

Scotch-Brite™

3M DB-WL (Deburring Wheel)



Description	SAP	PN
8S MED 152x25x25.4mm	7000028487	
9S FIN 152x25x25.4mm	7000028488	
7S FIN 152x25x25.4mm	7000028491	
7S FIN 203x50x76.2mm	7000028493	
9S FIN 203x25x76.2mm	7000046086	
9S FIN 203x50x76.2mm	7000046088	
7S FIN 203x25x76.2mm	7000046089	

Scotch-Brite™

3M FS-WL (Finishing Wheel)



Description	SAP	PN
150 x 25 x 25 mm 6S-FIN	7000028494	
150 x 25 x 25 mm 5A-MED	7000028522	

3M polishing felt discs



Description	SAP	PN
Ø 127mm - hard, red	7000016906	09358
Ø 75mm - hard, red	7000016905	09357

3M pneumatic orbital sander




Description	SAP	PN
fi 25mm 5 mm Cen. Vac.	7100258886	88942
fi 25mm 5 mm SGV	7100264068	88946

Description	SAP	PN
fi 150mm 2,5 mm Cen. Vac.	7100259232	88953
fi 150mm 5 mm Cen. Vac.	7100258801	88954
fi 150mm 8 mm Cen. Vac.	7100258707	88955
fi 150mm 10 mm Cen. Vac.	7100258799	88956
fi 150mm 5 mm SGV	7100264079	88958
fi 150mm 8 mm SGV	7100264078	88959


CUBITRON II

3M 732U - Cubitron II hookit sanding disc, paper backing - multihole



Description	SAP	PN
Ø 150 mm 80+	7100044445	
Ø 150 mm 120+	7100044449	
Ø 150 mm 150+	7100066676	
Ø 150 mm 180+	7100066679	
Ø 150 mm 220+	7100066702	
Ø 150 mm 240+	7100334765	
Ø 150 mm 320+	7100335436	
Ø 150 mm 400+	7100335433	
Ø 150 mm 500+	7100335441	
Ø 150 mm 600+	7100335411	
Ø 150 mm 800+	7100335435	
Ø 150 mm 1000+	7100335437	

3M 236U - Aluminium oxide hookit sanding disc, paper backing - multihole



Description	SAP	PN
Ø 150 mm P80	7100078152	55506
Ø 150 mm P100	7100078153	55507
Ø 150 mm P120	7100078154	55508
Ø 150 mm P150	7100078155	55509
Ø 150 mm P180	7100078156	55510
Ø 150 mm P220	7100078157	55511
Ø 150 mm P240	7100078158	55512
Ø 150 mm P320	7100078159	55513
Ø 150 mm P400	7100078180	55514
Ø 150 mm P500	7100078181	55515

CUBITRON II

3M 775L - CUBITRON II hookit sanding disc, film backing - multihole



Description	SAP	PN
Ø 150 mm 80+	7100045072	
Ø 150 mm 120+	7100045073	
Ø 150 mm 150+	7100065918	
Ø 150 mm 180+	7100064178	
Ø 150 mm 240+	7100145316	
Ø 150 mm 320+	7100141692	
Ø 150 mm 400+	7100145455	

CUBITRON II

3M 710W - Cubitron II hookit sanding disc, mesh backing



Description	SAP	PN
Ø 150 mm 80+	7100288129	
Ø 150 mm 120+	7100288136	
Ø 150 mm 150+	7100288232	
Ø 150 mm 180+	7100288233	
Ø 150 mm 220+	7100288135	
Ø 150 mm 240+	7100288132	
Ø 150 mm 320+	7100288139	



Cubitron™ 3

Scotch-Brite™

CUBITRON II

Trizact™

Disclaimer: 3M is not responsible for errors in this catalogue. All images and information are for informational purposes only. Images may not correspond exactly to the products.

3M™, Cubitron 3™, Cubitron II™, Trizact™ i Scotch-Brite™ are trademarks of company 3M, all rights reserved

RAOS



Authorised Distributor
Industrial Products

RAOS d.o.o. | Savica I. 111 - 10000 Zagreb
www.raos.hr | info@raos.hr